

Ischemic Stroke Lesion Segmentation

www.isles-challenge.org

Proceedings
17th October 2016
Athens, Greece



UNIVERSITÄT ZU LÜBECK



UNIVERSITÄT
KLINIKUM
FREIBURG

u^b

UNIVERSITÄT
BERN

MICCAI2016
Athens
GREECE

Preface

Stroke is the second most frequent cause of death and a major cause of disability in industrial countries. Its most frequent manifestation is the ischemic stroke, whose diagnosis often involves the acquisition of brain magnetic resonance (MR) scans to assess the stroke lesion's presence, location, extent, evolution and other factors. All known interventions are associated with considerable risks and require a careful weighting against the potential gains. An automated method to predict the final lesion outcome and to estimate the degree of disability would support clinicians in the difficult and time-critical decision making process.

New methods for stroke segmentation and outcome prediction are regularly proposed. But, more often than desirable, it is difficult to compare their fitness, as the reported results are obtained on private datasets. Challenges aim to overcome these shortcomings by providing (1) a public dataset that reflects the diversity of the problem and (2) a platform for a fair and direct comparison with suitable evaluation measures. Thus, the scientific progress is promoted.

With ISLES, we provide such a challenge covering ischemic stroke lesion as well as clinical outcome prediction from acute multi-spectral MRI data and intervention parameters. The task is backed by a well established clinical and research motivation and a large number of already existing methods. Each team may participate in either one or both of two sub-tasks:

TASK I Automatic prediction of the final lesion extent after (successful or failed) intervention in form of a binary mask.

TASK II Automatic prediction of the final clinical outcome after (successful or failed) intervention in form of the modified Ranking Scale (mRS).

The participants downloaded a set of training cases with associated follow-up expert segmentations and mRS scores to train and evaluate their approach, then submitted a short paper describing their method. After reviewing, a total of eight abstracts were accepted and compiled into this volume. At the day of the challenge, each team's results as obtained on an independent test set of cases will be revealed and a ranking of methods established.

For the final ranking and more information, visit WWW.ISLES-CHALLENGE.ORG.

Oskar Maier, Universität zu Lübeck

Mauricio Reyes, University of Bern

Roland Wiest, Inselspital Bern

Karl Egger, University Medical Center Freiburg

Organizers

Oskar Maier, Universität zu Lübeck, Germany

Mauricio Reyes, University of Bern, Switzerland

Karl Egger, University Medical Center Freiburg, Germany

Roland Wiest, Inselspital Bern, Switzerland

Sponsoring Institutions

Institute of Medical Informatics, Universität zu Lübeck, Germany

Institute for Surgical Technology & Biomechanics, University of Bern, Switzerland

Clinic for Neuroradiology & University Medical Center Freiburg, Germany.

Department of Diagnostic and Interventional Radiology, Inselspital Bern, Switzerland.

Table of contents

ISLES-P-03	Combination of CNN and Hand-crafted feature for Ischemic Stroke Lesion Segmentation <i>Haocheng Shen, Siyamalan Manivannan , Roberto Annunziata , Ruixuan Wang , and Jianguo Zhan</i>	p.01
ISLES-P-04	Residual Volumetric Network for Ischemic Stroke Lesion Segmentation <i>Lequan Yu and Pheng-Ann Heng</i>	p.03
ISLES-P-05	Random forests for stroke lesion and clinical outcome prediction <i>Oskar Maier and Heinz Handels</i>	p.05
ISLES-P-06	Segmentation of Ischemic Stroke Lesion using Random Forests in Multi-modal MRI Images <i>Qaiser Mahmood and A. Basit</i>	p.07
ISLES-P-07	A Deep-Learning Based Approach for Ischemic Stroke Lesion Outcome Prediction <i>Ramandeep Randhawa, Ankit Modi, Parag Jain, and Prashant Warier</i>	p.09
ISLES-P-08	Deep Convolutional Neural Network Approach for Brain Lesion Segmentation <i>Youngwon Choi, Yongchan Kwon, Hanbyul Lee, Myunghee Cho Paik , and Joong-Ho Won</i>	p.11
ISLES-P-09	Incorporating time to reperfusion into the FASTER model of stroke tissue-at-risk <i>Richard McKinley, Roland Wiest, and Mauricio Reyes</i>	p.13

Combination of CNN and Hand-crafted feature for Ischemic Stroke Lesion Segmentation

Haocheng Shen¹, Siyamalan Manivannan¹, Roberto Annunziata¹, Ruixuan Wang¹, and Jianguo Zhang¹

CVIP, Computing at School of Science and Engineering, University of Dundee, UK

1 Motivation

CNN can automatically learn discriminative local features and give superior performance than hand-crafted features in various applications such as image classification, semantic segmentation and object detection. CNN has also been applied to MRI brain image analysis and achieved state-of-the-art results for brain tumor region segmentation [3, 4], stroke lesion segmentation [4], and microbleeds detection [2]. Recently, some studies (e.g. [5]) show that hand-crafted features may provide complementary information with CNN, hence combining them with the features extracted from CNN may give improved performance than only using the features from CNN. Motivated by this, we formulate the segmentation of ischemic stroke lesion in acute MRI scans as a pixel-level classification using a combination of CNN and hand-crafted features.

2 CNN Architecture

We used a CNN architecture which is similar to [1]. It is a fully convolutional neural network containing a downsampling path and three upsampling paths. In the task of stroke lesion segmentation, there is a large variation on the size, location and shape of lesions. Therefore, encoding information at multiple scales is necessary and preferable than considering information at only one level. The downsampling path is able to extract the abstract information with high-level semantic meaning, while the three upsampling paths are designed to capture the fine details. These three upsampled feature maps are then combined at the later stages of the CNN architecture so that the classification layer fully make use of the information appears at multiple scales [1].

3 Hand-crafted Feature

We use the following hand-crafted features:

- intensity;
- the hemispheric intensity difference between two symmetric pixels in the axial view;
- first order statistics in a $w \times w$ volume patch;
- maximum response filter (MR8) [6].

At each 2D pixel location, these local features are extracted independently from each image modality and combined together to get a feature representation for that pixel.

4 Patient-specific Classifier

As there is a large variation of lesions in the dataset, it will be beneficial to train a pool of binary classifiers instead of one. Each binary classifier in this pool is designed to separate the positive (lesion) features extracted from a patient from all the negative (normal) features extracted from the same patient. In this way we believe that some rarely appeared lesions can be easily discriminated from the normal tissue compared to a binary lesion classifier which is trained using all the training data (without using patient information). In the testing time a voting strategy (averaging the top 3 probabilities obtained by the binary classifiers in the pool) is used to get the prediction of an input.

References

1. Chen, H., Qi, X.J., Cheng, J.Z., Heng, P.A.: Deep contextual networks for neuronal structure segmentation. In: Thirtieth AAAI Conference on Artificial Intelligence (2016)
2. Chen, H., Yu, L., Dou, Q., Shi, L., Mok, V.C., Heng, P.A.: Automatic detection of cerebral microbleeds via deep learning based 3d feature representation. In: 2015 IEEE 12th International Symposium on Biomedical Imaging (ISBI). pp. 764–767. IEEE (2015)
3. Havaei, M., Davy, A., Warde-Farley, D., Biard, A., Courville, A., Bengio, Y., Pal, C., Jodoin, P.M., Larochelle, H.: Brain tumor segmentation with deep neural networks. *Medical Image Analysis* (2016)
4. Kamnitsas, K., Ledig, C., Newcombe, V.F., Simpson, J.P., Kane, A.D., Menon, D.K., Rueckert, D., Glocker, B.: Efficient multi-scale 3d cnn with fully connected crf for accurate brain lesion segmentation. arXiv preprint arXiv:1603.05959 (2016)
5. Li, W., Manivannan, S., Zhang, J., Trucco, E., McKenna, S.J.: Gland segmentation in colon histology images using hand-crafted features and convolutional neural networks. In: International Symposium on Biomedical Imaging (ISBI) (2016)
6. Varma, M., Zisserman, A.: A statistical approach to texture classification from single images. *International Journal of Computer Vision* 62(1-2), 61–81 (2005)

Residual Volumetric Network for Ischemic Stroke Lesion Segmentation

Lequan Yu, Pheng-Ann Heng

Dept. of Computer Science and Engineering, The Chinese University of Hong Kong

1 Introduction

We propose a 3D convolutional neural networks (3D CNNs) based method for lesion outcome prediction. The proposed 3D network takes advantage of fully convolutional architecture to perform efficient, end-to-end, volume-to-volume training. More importantly, we introduce the recent proposed residual learning technique into our network, which can alleviate vanishing gradients problem and improve the performance of our network.




Fig. 1: Illustration of our proposed residual volumetric network. Numbers represent the number of feature volumes in each layer.

Fig. 1 demonstrates the architecture of our proposed residual volumetric network. It employs 3D fully convolutional architecture and is organized in a residual learning scheme. The layers of our network are all implemented with a 3D manner (under caffe library), thus the network can highly preserve and deeply exploit the 3D spatial information of the input volumetric data. We adopt small convolution kernels with size of $3 \times 3 \times 3$ in convolutional layers. Each convolutional layer is followed by a rectified linear unit (ReLU). Note that we also employ batch normalization layer (BN) before each ReLU layer. The BN layer can accelerate the training process of our network. At the end of the network, we add a $1 \times 1 \times 1$ convolutional layer as a classifier to generate the segmentation results and further get the segmentation probability volumes after passing the softmax layer. Note that our network might appear similar to U-Net, but there are differences: We use summation units instead of concatenation units when combining different paths, and thus we can reformulate our network as residual learning scheme; additionally, we adopt recently developed batch normalization technique to improve our performance.

Random forests for stroke lesion and clinical outcome prediction

Oskar Maier^{1,2} and Heinz Handels¹

¹ Institute of Medical Informatics, Universität zu Lübeck

² Graduate School for Computing in Medicine and Life Sciences, Universität zu Lübeck

`maier@imi.uni-luebeck.de`

1 Introduction

Ischemic stroke is caused by an obstruction in the cerebral blood supply and, if diagnosed early, part of the under-perfused tissue can potentially be salvaged. Since the available treatment options are not risk-free, the decision has to be made individually, depending on the potential gain and under great time restriction. The prediction of the final lesion outcome in form of A binary mask (Task I) and the prediction of the clinical outcome in form of the modified Rankin Scale (mRS) (Task II) are therefore of great clinical interest. The ISLES 2016 challenge offers a public dataset and associated expert groundtruth to allow researchers to compare their methods in these two fields directly and fairly. Our contribution works with carefully selected features extracted from the MR sequences and used to train a random forest (RF).

2 Method

The data consists of multi-spectral (ADC, PWI maps and raw PWI 4D volumes) scans and associated clinical measures. The final lesion outcome as delineated in a 90 days follow-up scan (Task I) and the 90 days mRS score (Task II) serve as groundtruths. More details on the data can be found on www.isles-challenge.org.

Task I: Lesion outcome prediction From each MR sequence we extract the features previously presented in [1], but furthermore employ a hemispheric difference measure to make use of the pseudo-quantitative values provided by the PWI maps. For voxel-wise classification we employ RFs.

Task II: Clinical outcome prediction Based on the segmentation results from Task I, we extract lesion characteristics as well as local image features from the supplied cases to train a regression forest. Applied, this yields a prediction of the mRS score for a formerly unseen case.

3 Discussion

Our method has been shown to provide competitive lesion segmentation results in glioma segmentation as well as acute and semi-acute stroke in the previous year's edition of the ISLES challenge. The results from this year's challenge will show if the advantages of our flexible design also extend to outcome prediction.

References

1. Maier, O., Wilms, M., et al.: Extra tree forests for sub-acute ischemic stroke lesion segmentation in MR sequences. *Journal of Neuroscience Methods* 240(0), 89–100 (2015)

Segmentation of Ischemic Stroke Lesion using Random Forests in Multi-modal MRI Images

Qaiser Mahmood¹ and A. Basit¹

¹ Pakistan Institute of Nuclear Science and Technology, Islamabad, Pakistan
qaiserpieas@hotmail.com, abdulbasit1975@gmail.com

Multi-modal magnetic resonance imaging (MRI) can be used for detecting the ischemic stroke lesion and can provide quantitative assessment of lesion area. It can be established as an essential paraclinical tool for diagnosing stroke. For a quantitative analysis of stroke lesion in MRI images, clinical expert manual segmentation is still a common approach and has been employed to compute the size, shape and volume of the stroke lesions. However, it is time-consuming, tedious, and labor-intensive task. Moreover, manual segmentation is prone to intra-and inter-observer variabilities. Herein, we present an automated segmentation method for ischemic stroke lesion segmentation in multi-modal MRI images. The method is based on an ensemble learning technique called random forest (RF), which generates several classifiers and combines their results in order to make decisions. In RF, we employ several meaningful features such as intensities, entropy, gradient etc. to classify the voxels in multi-modal MRI images. The segmentation method is validated on training data, obtained from MICCAI ISLES-2016 challenge dataset. The performance of the method is evaluated relative to the manual segmentation, done by the clinical experts. The experimental results show the robustness of the segmentation method, and that it achieves reasonable segmentation accuracy for segmenting the ischemic stroke lesion in multi-modal MRI images.

A Deep-Learning Based Approach for Ischemic Stroke Lesion Outcome Prediction

Ramandeep Randhawa, Ankit Modi, Parag Jain, and Prashant Warier

rrandhaw@usc.edu, University of Southern California,
 {ankit.modi, prashant.warier}@fractalanalytics.com, Fractal Analytics,
 paragjain@topiciq.ai, TopicIQ Inc.

The ISLES 2016 challenge aims to address two important aspects of Ischemic stroke lesion treatment prediction. The first aspect relates to segmenting the brain MRI to identify the areas with lesions and the second aspect relates to predicting the actual clinical outcome in terms of the patient’s degree of disability. The input data consists of acute MRI scans and additional clinical such as TICI scores, Time Since Stroke, and Time to Treatment.

To address this challenge we take a deep-learning based approach. In particular, we first focus on the segmentation task and use an automatic segmentation model that consists of a Deep Neural Network (DNN). The DNN takes as input the MRI images and outputs the segmented image, automatically learning the latent underlying features during the training process. The DNN architectures we consider utilize many convolutional layers with small kernels, e.g., 3x3. This approach requires fewer parameters to estimate, and allows one to learn and generalize from the somewhat limited amount of data that is provided.

One of the architectures we are currently utilizing is based on the U-Net [1], which is an all-convolutional network. It acts as an auto-encoder, that first “encodes” the input image by applying combinations of convolutional and pooling operations. This is followed by the “decoding” step that up-scales the encoded images, while performing convolutions. The all-convolutional architecture of the U-Net allows it to handle input images of different dimensions as in the challenge dataset. In our experiments, we found that this architecture yielded excellent performance on the previous ISLES 2015 dataset. Although the modalities in the 2016 challenge are different, our initial training experiments have yielded promising segmentation results.

Our next steps involve addressing the regression challenge. There is limited amount of labeled data for this task. Our approach will be to include these outcomes as part of the segmentation training directly. This will allow the DNN to learn latent features that can directly help with the classification task.

References

1. O. Ronneberger, P. Fischer, and T. Brox. U-net: Convolutional networks for biomedical image segmentation. In *International Conference on Medical Image Computing and Computer-Assisted Intervention*, pages 234–241. Springer, 2015.

Deep Convolutional Neural Network Approach for Brain Lesion Segmentation

Youngwon Choi*, Yongchan Kwon*, Hanbyul Lee*, Myunghee Cho Paik*, and
Joong-Ho Won**

Department of Statistics, Seoul National University, Seoul 151-742, Korea

Brain lesion segmentation is a challenging problem because the amount of lesion area is extremely small and the size of available training magnetic resonance images are limited. To handle this, we exploit millions of 3D patches and 3D convolutional kernels for our proposed model. By treating each 3D patch as training data we capitalize on spatial information and overcome the problem of limited medical data. Our final segmentation model is an ensemble of two deep convolutional neural networks inspired by fully convolutional networks and the U-Net(Ronneberger et al., 2015). We implement the proposed model in Python with Lasagne and Keras.

* Authors contributed equally

** I am the corresponding author of the abstract “Deep Convolutional Neural Network Approach for Brain Lesion Segmentation” and in the name of all co-authors I declare that MICCAI has the right to distribute the submitted material to MICCAI members and workshop / challenge / tutorial and MICCAI attendees.

Email address: wonj@stats.snu.ac.kr

Incorporating time to reperfusion into the FASTER model of stroke tissue-at-risk

Richard McKinley¹, Roland Wiest¹, and Mauricio Reyes²

¹ Support Center for Advanced Neuroimaging, Department of Diagnostic and Interventional Neuroradiology, Inselspital, Bern University of Bern, Switzerland

² Institute for Surgical Technology and Biomechanics, University of Bern, Switzerland

In a recent paper, we introduced the tool FASTER (Fully Automated Stroke Tissue Estimation using Random Forests), which aims to give an assessment of the tissue at risk in acute stroke beyond the usual paradigm of predefined thresholds on single maps. The FASTER system assesses the likelihood of tissue damage using decision forest classifiers, mapping local statistical features of perfusion and diffusion imaging onto maps of the tissue predicted to be lost even if reperfusion is established, and the tissue predicted to be lost only if there is no reperfusion. These models are trained only on extreme cases, in which reperfusion was total and rapid (TICI 3), or completely absent (TICI 0).


In this work we attempt to go further, predicting the likely tissue loss in the case of TICI grades 1-2b, by interpolating between the two predictions yielded by FASTER, and incorporating the time to revascularisation.

Acknowledgments

The authors acknowledge the support of the Schweizerische Herzstiftung.

References

1. R. McKinley et al., Fully Automated Stroke Tissue Estimation using Random Forest Classifiers (FASTER) Accepted for publication, Journal of Cerebral Blood Flow and Metabolism.



www.isles-challenge.org
Ischemic Stroke Lesion Segmentation

Oskar Maier
Institute of Medical Informatics
Universität zu Lübeck
Germany

Mauricio Reyes & Roland Wiest
ISTB & Diagnostic and Interventional Radiology
University of Bern & Inselspital Bern
Switzerland

Karl Egger
Clinic for Neuroradiology
University Medical Center Freiburg
Germany



UNIVERSITÄT ZU LÜBECK



UNIVERSITÄT'S
KLINIKUM FREIBURG

u^b

UNIVERSITÄT
BERN

MICCAI2016
Athens
GREECE